



**PROMSTAHL**

Verladetechnik

Industrietore

Ronnenberger Straße 20  
30989 Gehrden  
phone +49 (0) 5108 879 270  
www.promstahl.de

## Product datasheet

Fixed aluminium drawbridge leveller

Type PSKBS

Version: 1.2.0

Date: 16.02.2023



## Product datasheet

Fixed aluminium drawbridge leveller

Type: PSKBS

Load capacity: 40 kN

### Contact:



**PROMSTAHL**

Ronnenberger Straße 20  
D-30989 Gehrden

phone +49 (0) 5108 879 270  
fax +49 (0) 5108 879 2710


info@promstahl.de  
www.promstahl.de

## General information

PSKBS fixed drawbridge levellers are designed for bridging medium differences in height and can be operated by just one person. The aluminium platform guarantees easy operation and when the leveller is not used, it is positioned vertically on the ramp edge. The dock leveller has a load capacity up to 40 kN and can bridge differences in height of up to about 200 mm.

This dock leveller is made of a durable weatherproof aluminium alloy and meets the highest requirements of modern goods traffic. An automatic lock system, which can be easily released, prevents accidental fall-down of the leveller.

## Overview



Nominal lenght	Nominal width	difference in height	
		min.	max.
565	1500	-90	+50
815	1250,1500	-120	+80
1065	1500	-155	+110
1315	1500	-185	+140
1565	1500	-215	+175
All dimensions in mm			

Preparations by the customer  
(recommended)

